## **HEATCRAFT CERTIFIED DRAWING**

Customer: Date:
Contact: From:
Telephone: Company:
Cell: Return Tel:
Fax: Return Fax:
Job: Email:


		MODEL NUMBER								
	ITEM	QTY	TYPE	FPI	ROWS	FIN	FH (IN)	FL (IN)		HAND
1										Right
2										

Material	s of Construction	Options							
Fins		Coating	None	Turbospirals	No				
Tubes*	0.625 x 0.035 Copper*	Casing Type	Flanged	Moisture Eliminator	No				
Casing		Vent & Drain	.50 FPT on End Cap	Mounting Holes	No				
Conn. Material		Plate Material	Carbon Steel	Label Kit	No				

\*0.035 is the minimum tube material allowed

	Dimensional Data															
#	SIZE	Α	В	С	Е	Н	ı	J	L	L1	М	R	S1	S2	T	W
1																
2																

Note: S1 & S2 min = 1.50 W Dim consult factory



- 1. All dimensions are in inches.
- 2. Manually verifying dimensions is highly recommended.
- 3. Intermediate tube supports fabricated from stock of the same material as the casing will be provided.
- 4. The supply line should be connected to the lower connection on the leaving air side for counter flow operation.
- 5. Minimum allowed for the tube plate is 0.75 inches.
- 6. Working pressure is 100 psig.
- 7. Maximum fluid temperature is 200°F.

Copyright 2003 ModineGrenada LLC Confidential and Proprietary. This design is for the exclusive and confidential use of Modine Grenada LLC and its client. Any duplication made for the purpose of disclosing this design or any part of the design to a competitor of Modine Grenada LLC is in direct violation of this confidentiality. Any duplication must be approved in writing by Modine Grenada LLC.